

THE G-TOUCH[®] EMERALD INTERACTIVE DISPLAY

Part of the Gem Series.



THE HOME OF INNOVATION

0800 027 7781 | 01256 882629

JUST•PROJECTORS







INTRODUCTION

We are delighted to announce our new G-Touch® Emerald 4K Range. Our continued innovation has helped us develop an interactive touch screen with outstanding image quality. With the highest brightness and sharpest image of any G-Touch® screen we have produced; the latest optically bonded panel technology allows the Emerald displays to have wide viewing angles with next to no glare.

With Precision Touch the Emerald interactive display gives a responsiveness which is exceptional, and with USB Type C, 20W front facing speakers and even higher durability of glass. Your investment is future proofed!

The software user interface is a critical factor when developing digital touch technology, and by continuously developing a 3-touch rule, it allows users to access any function within 3 touches; ensuring an intuitive and easy way to use our G-Touch® screens.

GENEE APP STORE

“You wouldn’t buy a mobile device without an accompanying App Store, so why would you purchase a touchscreen without one?”



The G-Touch® 4K Emerald Range comes with the Genee App Store pre-installed for all key stages and subjects. The store provides quick and easy access to a range of educational related applications that have been selected, tested and verified by a content team made up of ex teachers.

The App Store is for teachers, made by teachers. The store features apps listed in useful teaching categories, such as: subject, age range, key stage and product type.

The Genee App store has hundreds of apps with over 80% being free of charge.

APP SPOTLIGHT



DARTS MATHS

Darts Maths is an interactive educational software, which helps children to acquire basic mathematical knowledge and develop their abilities, through a digital dartboard.

The aim of this programme is to encourage interactive learning in a practical and stress-free educational environment. Applicable to use with children in different stages of development; it does not differentiate, provides equal opportunities and focuses on unique and individual improvement.

Students do not experience failure, as the programme does not include any kind of evaluation. Problems and tasks can be re-done and difficulty levels are variable, which provides new challenges consecutively for students.



KIDLOLAND

KidloLand is an award-winning learning program for kids (1-8 years). Discover 3000+ educational songs, games, stories, nursery rhymes & activities about Early Learning, Math, Reading, Writing, Coding and more! Your kids will learn and develop new skills every day. Join over 1 Million happy families worldwide!

This app is completely kid-friendly without any ads. No worries!



SOFTWARE



SPARK II

SPARK II is an interactive screen software. Designed to work on both interactive whiteboards and LED touchscreens, it provides a presenter or teacher with an infinite canvas area. As well as importing documents and images from local files or the internet, this software will run over the top of other applications allowing you to annotate, highlight and manipulate objects. It comes with a range

of tools such as a Compass, Protractor, Ruler etc. It also has Science and Maths Content built within it. SPARK II also has the ability to import Smart Notebook Files meaning teachers do not have to recreate their lessons! SPARK II is available for FREE on all G-Touch® screens and on all teacher and student devices.

Watch the SPARK II product video here:

<https://www.youtube.com/watch?v=pVfQpiJeBTE>



SPARK LITE

SPARK Lite is a lighter version of SPARK II. This gives teachers great flexibility when they would like to take quick notes. They can easily switch between the whiteboard and PC!




LEARN HUB

Designed specifically around multi-user gamification, Learn-Hub is a cloud-based software that includes nine fully adaptable learning activities. Activities are designed for Early Years & Primary students and can be customised and configured by the teacher to meet any level or topic of work. All activities are fully customisable with a simple interface to allow teachers to take full control. Teachers can also save, print and record student results.

Up to 4 students at the same time can utilise the activities competitively and when used on an interactive screen (such as G-Touch® Tables) the full multi-touch capabilities are revealed.

Find out more here:

<https://www.youtube.com/watch?v=GXrKfA8PrkU>





PROJECT FLOW

Project Flow is a cloud-based lesson delivery tool like no other; allowing presentations, activities, questions and work to be sent directly to student devices. It offers automated differentiation and instant feedback on student performance to the teacher.

Teachers need to ensure that all students are performing to the best of their abilities and that lesson content is targeted to students' individual needs and learning styles. Not only that, but ensuring that students have understood all concepts before moving onto the next, is crucial to embed the learning. If the class contains individuals who have not fully grasped a particular concept, teachers need to be able to dedicate time to assisting and helping these students.



Watch the Project Flow product video here:

<https://www.youtube.com/watch?v=pVfQpiJeBTE>



GENEE PAWTALS

Pre-installed with all 4K Emerald screens. Pawtals is a multi-touch web browser. Multiple users can open and use web browsers at the same time.



G-VOTE

The built in G-Touch® voting system allows the presenter to create polls within seconds and the audience to scan a QR code and answer instantly. Once the audience has voted the presenters can see the votes and even view it as a pie chart and import it directly into SPARK Lite!



Compatible with Emerald Touchscreen



Microsoft Teams



Zoom



Google Workspace

CONNECTIVITY VARIOUS INPUTS AND OUTPUTS

Buttons and connection ports are now front facing for easy access, and side facing for a neater and more permanent option, allowing devices to be connected through a range of multiple inputs; this makes it ideal for a variation between permanent and temporary teaching staff.

A multitude of different devices can be connected through a range of inputs and outputs, allowing the G-Touch® Emerald Range to integrate with all the standard technology already in the classroom.





GENEE WIRELESS DISPLAY MIRRORING

The G-Touch® 4K Emerald Range has built in wireless display mirroring. This allows teachers and students to cast their Apple, Google, Android or PC device directly to the screen. Teachers now have the ability to review students' work on the screen.

With more and more classrooms becoming digital, it is important for devices to be able to integrate with each other.

The 4K Emerald allows users to cast their Google and Apple devices without the need for third party applications. Simply, press screen mirroring on your device, enter the code which is displayed on the touchscreen and you will be connected.



BUILT-IN ANDROID

The 4K Emerald screen comes complete with the latest Android operating system with the ability to download apps from the Genee App Store. The Android system also allows users to mirror cast their device onto the screen, and seamlessly integrate technology such as our Genee Vision Visualisers.




NATURAL WRITING EXPERIENCE

The G-Touch® Emerald has a short response time which allows for a natural writing experience with next to no lag. All G-Touch® Interactive Displays also come with a magnetic pen which you can use for precise handwriting.



OPTICAL BONDED

Optical bonding is a new technology that allows for better viewing angles, higher brightness and shatter proof glass! When in a classroom, teachers usually have the worst viewing angles as they are standing next to the touch screen, making it difficult to see what is being displayed. With the new G-Touch® Emerald this is no longer an issue as you can still see the display at a wider viewing angles, as well as in direct sunlight.




G-TOUCH® EMERALD FEATURES



USB Type C

USB Type C is the latest USB connector which simplifies the amount of cables you need to connect a device to a touchscreen. You can now use one cable to transmit data, audio, video, ethernet, touch and power.



Multi Touch

With multi-touch technology several students are able to work and collaborate on the screen at once. This allows you to also benefit from multi touch software.



Dual Pen

The intuitive G-Touch® screen can recognise when you are using a pen or finger.



OPS Slot

All G-Touch® models have the option to add a built-in PC. Our simple 'slide and secure' fitting options allow for easy upgrades.



Gesture Control

The G-Touch® has been developed to be as easy to use as possible. Gestures reduce the number of touches needed on the screens as complicated functions can be completed with simple swipes. This is why most gestures you use on your phone can be used on our touchscreens. These are gestures such as pinch to zoom, rotating images and much more!



Blue Light Filter

The Blue light filter decreases the amount of blue light displayed on the screen of the device. This can help reduce digital eye strain, which will make your eyes feel less tired by the end of the day.



Anti-Glare

All of our G-Touch® screens have the latest anti-glare technology. This coupled with the brightness of our LED panel enable content to be viewed in any environment.



Front Facing Speakers

Crystal clear audio via the front facing speakers is ideal when incorporating video presentations or remote sessions into a lesson.

FLOATING TOOLBAR

Available on the screen at all times without a gesture needed.

The shortcuts are as follows:



Home Button

This allows you to return back to the Android homepage.



Return Button

This allows you to return the previous page.



Favourite Source Button

This allows you to access the favourite source.



Application Switcher

This allows you to see all the open applications. From here you can either, switch or close the applications you are no longer using.



Whiteboard Button

This allows you access the built-in SPARK Lite whiteboard software.



Annotation Tool

This allows you to annotate over any source or window you have open.

SERVICES

MDM GENEE CONTROL

Manage and control all of your G-Touch® screens through a single, cloud-based platform, enabling complex operations and tasks to be completed in a refreshingly simple manner.

- Control multiple devices at once
- Ability to share messages
- Updating software



WARRANTY & IN HOUSE TECHNICAL TEAM



The G-Touch® Emerald comes with 5 Year Warranty.

Our Genee technical team are there to assist on any problems you may have with your Genee products, within your warranty period or outside the warranty period. Genee ensures to provide the ultimate customer experience, which is why Genee is one of the few AV manufacturers that employs its own dedicated internal technical team, rather than sub-contracting to a third party.

You can be rest assured when it comes to our hardware support, it will be a Genee qualified engineer who will provide the best customer service and support.

TRAINING

Our training programmes are delivered by a fully qualified, experienced classroom teacher. These will enable you to access your new technology and utilise it to enhance learning and engagement for your students.

This programme is designed for skills training, building on the content of each introductory training session. Recieve your first inductory training session for free when you purchase a G-Touch® display.



ACCESSORIES

**The solution that fits your needs.
Depending on your requirements we
have a range of accessories that are
interoperable with our G-Touch® Range.**

GENEE VISION VISUALISERS

Have you ever wondered whether you can take your presentation to the next level? Or how you can display your demonstration, experiment or printed document on a larger scale? With Genee Visualisers you can make a strong impact on your audience, adding visual content to enhance your

presentation by showing your content – in almost microscopic detail. Connect your visualiser to a PC and use Genee Toolbar software to annotate, take stills, zoom and more. You can also do this wirelessly with the new Wireless Visualiser.



GENEE VISION®

OPS UNIT

OPS (Open Pluggable Specification) enables the ability to upgrade your existing touchscreens to your individual requirements, while helping to future-proof technology investments. The OPS unit can accommodate further, as it can be interchangeable with other devices. You can simply just plug in the OPS unit and experience all the benefits of working in a PC environment.



Available as i5, i7 and lots of memory and storage options to fit your needs.

STANDS AND WALL MOUNTS


Designed to provide the perfect means for displaying your interactive touchscreen, whether in a classroom, training centre, or board room, we offer a comprehensive range of stands, trolleys and wall mounts. The Genee range is designed to match your needs and your environment within your budget. Our stands, wall mounts and trolleys have been selected to provide a solution for all G-Touch® Interactive Touchscreens, but are also compatible with other branded screens. Whether you would like your screen to be wall-mounted and placed in a permanent location, or to be on a trolley so that it can be moved around the room or the building, we have a mounting solution that will work for you.

Genee Standard Mounting




Wall Mount

STA050020



H Frame and Bracket

STA060020



Mobile Floor Trolley


STA080010

Genee Manual High-Low Range Stand and Trolley



High-Low Stand


STA210110



High-Low Trolley


STA220120

Genee Electric High-Low Range Stand and Trolley



High-Low Stand


STA210020



High-Low Trolley

STA220020

Genee Mobile Flip Trolley (Allows horizontal and vertical tilt)



Flip Trolley High-Low

STA110020

See the full range here:

<http://genee-group.com/wall-mounts-trolley-and-stands/>

WHAT IS INCLUDED IN THE BOX?

Inside the box includes everything you need to get going!



1x USB Type C



1x HDMI



1x VGA



1x USB



1x 3.5mm Audio



1x Power Cable



1x Remote Control



1x Magnetic Pen




1x Wireless Dongle



1x European Power Cable



1x Customer Care Pack



1x Warranty Registration

SPECIFICATIONS



Model Name	G-Touch® 4K Emerald	G-Touch® 4K Emerald	G-Touch® 4K Emerald
Product Code	TOU910020	TOU910030	TOU910040
Active Screen Size (inch)	65"	75"	86"
Display Backlight	LED	LED	LED
Display Area (Horizontal x Vertical)	1428.48 x 803.52mm	1650.24 x 928.26mm	1895.04 x 1065.96mm
Display Ratio	16:9	16:9	16:9
Resolution	3840 x 2160 Pixel (4K)	3840 x 2160 Pixel (4K)	3840 x 2160 Pixel (4K)
Display Colors	AUO: 8bit+FRC (1.07 billion color) CSOT: 10bit+FRC (1.07 billion color)	AUO: 8bit+FRC (1.07 billion color) CSOT: 10bit+FRC (1.07 billion color)	10bit+FRC (1.07 billion color)
LCD Brightness (Typical, after cover class)	400cd/m2	400cd/m2	400cd/m2
Contrast Ratio (Typical)	4000:1	4000:1	1200:1
Response Time (Typical, G to G)	8ms	8ms	8ms
Viewing Angle	178°	178°	178°
Life time (working hours/day)	minimum 30,000 hours	minimum 30,000 hours	minimum 30,000 hours
Power Consumption (w/o OPS)	Maximum <220W Standby Mode ≤0.5W	Maximum <340W Standby Mode ≤0.5W	Maximum <520W Standby Mode ≤0.5W
Working Voltage	AC 100-240V, 50/60Hz	AC 100-240V, 50/60Hz	AC 100-240V, 50/60Hz
Display Orientation	Landscape	Landscape	Landscape
Touch Surface Material	Tempered glass	Tempered glass	Tempered glass
Touch Surface Technology	AG (G2+AF)	AG (G2+AF)	AG (G2+AF)
Transparency	>88%	>88%	>88%
Cover Glass Thickness	3.2mm	3.2mm	3.2mm
Touch Surface Hardness	>H7	>H7	>H7
Touch Surface Hardness (Mohs)	7	7	7
Touch Sensor	Infrared Touch	Infrared Touch	Infrared Touch
Touch Points	20 Points under Windows 10 Points under Android	20 Points under Windows 10 Points under Android	20 Points under Windows 10 Points under Android
Touch Screen Writing Tools	3mm Pen tip as windows digitizer; 8mm pen or finger as windows touch	3mm Pen tip as windows digitizer; 8mm pen or finger as windows touch	3mm Pen tip as windows digitizer; 8mm pen or finger as windows touch
Touch Response time (Single point)	≤10ms	≤10ms	≤10ms
Cursor Speed	100Point/s	100Point/s	100Point/s
Positioning Accuracy	±1mm within 90% working area	±1mm within 90% working area	±1mm within 90% working area
Communication Interface	USB or Dual USB	USB or Dual USB	USB or Dual USB

Model Name	G-Touch® 4K Emerald	G-Touch® 4K Emerald	G-Touch® 4K Emerald
Speaker Position	Forward	Forward	Forward
Speaker Rated Impedance	6Ω	6Ω	6Ω
Speaker Frequency Response	200Hz-20kHz	200Hz-20kHz	200Hz-20kHz
Speaker Maximum Power Output	20W x2	20W x2	20W x2
Transmission Range	5M	5M	5M
Working Temperature/Humidity	0°-40°C/20% ~ 80%	0°-40°C/20% ~ 80%	0°-40°C/20% ~ 80%
Installation Method (optional)	Wall-mounted / Floor Stand	Wall-mounted / Floor Stand	Wall-mounted / Floor Stand
Outline Dimension (without wall mount bracket thickness)	1505x917x94mm	1727x1041x91mm	1973x1182x91mm
Packing Dimension	1640x1036x221 mm	1859x1167x247mm	2119x1309x275mm
Net Weight	45kg	56kg	66kg
Gross Weight	65kg	77kg	81kg
VESA Mount installation position	600x400mm	800x400mm	800x400mm
CPU	ARM Cortex A73 x2 + A53 x2	ARM Cortex A73 x2 + A53 x2	ARM Cortex A73 x2 + A53 x2
RAM	3G	3G	3G
ROM	32G	32G	16G or (16G+32G) optional
External Memory	32G Optional	32G Optional	32G Optional
Android Version	8	8	8
Intelligent thermal protector	Automatic Hibernate when over heated	Automatic Hibernate when over heated	Automatic Hibernate when over heated
OPS PC	Available	Available	Available

PORTS			
Front Interface Inputs	Type C (4K@60Hz) x1, HDMI 2.0 (4K@60Hz) x1, USB (Touch, Type B) x1, USB3.0 (Public, Type A) x1, MIC x1	Type C (4K@60Hz) x1, HDMI 2.0 (4K@60Hz) x1, USB (Touch, Type B) x1, USB3.0 (Public, Type A) x1, MIC x1	Type C (4K@60Hz) x1, HDMI 2.0 (4K@60Hz) x1, USB (Touch, Type B) x1, USB3.0 (Public, Type A) x1, MIC x1
AV Inputs	HDMI 2.0 (4K@60Hz) x2, DP1.2 (4K@60Hz) x1, VGA (1920x1080@60Hz) x1, VGA Audio x1	HDMI 2.0 (4K@60Hz) x2, DP1.2 (4K@60Hz) x1, VGA (1920x1080@60Hz) x1, VGA Audio x1	HDMI 2.0 (4K@60Hz) x2, DP1.2 (4K@60Hz) x1, VGA (1920x1080@60Hz) x1, VGA Audio x1
AV Outputs	HDMI Out (Support 4k@60Hz, 1920x1080@60Hz) x1, Earphone x1, SPDIF x1	HDMI Out (Support 4k@60Hz, 1920x1080@60Hz) x1, Earphone x1, SPDIF x1	HDMI Out (Support 4k@60Hz, 1920x1080@60Hz) x1, Earphone x1, SPDIF x1
Other	USB3.0 (Public, Type A) x1, USB2.0 (Type A) x1, RS232 x1, USB3.0 (Touch, Type B) x1, Lan In x1, Lan Out x1, OPS Slots(4K@60Hz) x1	USB3.0 (Public, Type A) x1, USB2.0 (Type A) x1, RS232 x1, USB3.0 (Touch, Type B) x1, Lan In x1, Lan Out x1, OPS Slots(4K@60Hz) x1	USB3.0 (Public, Type A) x1, USB2.0 (Type A) x1, RS232 x1, USB3.0 (Touch, Type B) x1, Lan In x1, Lan Out x1, OPS Slots(4K@60Hz) x1
Multimedia File Formats Support	Image: JPEG, BMP, PNG Video: MPEG1, MPEG2, MPEG4, H.264, H.265, MOV, FLV (Support 1080P, 4K HD Decoding) Audio: MP3, M4A, (AAC)	Image: JPEG, BMP, PNG Video: MPEG1, MPEG2, MPEG4, H.264, H.265, MOV, FLV (Support 1080P, 4K HD Decoding) Audio: MP3, M4A, (AAC)	Image: JPEG, BMP, PNG Video: MPEG1, MPEG2, MPEG4, H.264, H.265, MOV, FLV (Support 1080P, 4K HD Decoding) Audio: MP3, M4A, (AAC)



www.genee-group.com | +44 (0)1902 390 862 | sales@genee-group.com

 [@GeneeGroup](#)  [@GeneeGroup](#)  [company/genee-group](#)  [@GeneeGroup](#)

Just Projectors, 7 Campbell Court, Bramley, Hampshire, RG26 5EG